

FOR A QUALITY THERMOFORMING AT ECONOMIC MANUFACTURING COSTS



THERM@FORM Model 2424

FOR YOUR APPLICATIONS WITH
PVC, PET, ABS, PS, PC, PE, acrylic, etc.

PROPOSED CONFIGURATIONS

- Sandwich type double oven
- Heating surface can be modified for your needs
- "Plug assist" material transportation

GENERAL SPECIFICATIONS

- Radiant oven divided into heating zones
- Ceramic infrared heating elements
- Proportional infinite temperature controls
- Computerized control with easy teach mode programming screen
- Interior of frame adjustable
- Automatic frame closure
- Automatic reciprocating frame
- 1 pneumatic moulding table
- Vacuum BUSH pump and 1 1/4" fittings
- Fans of 400 CFM or squirrel cage
- Training session included

TECHNICAL SPECIFICATIONS	
Dimensions (L x D x H)	81" x 116" x 90"
Frame size*	23" X 23"
Weight	2500 lbs
Power Requirements	240 V / 3 PH / 35 A
Daylight of Moulding Table*	22"
Table capacity	400 lbs
Air Consumption	0.16 ft ³
Frame Height	36"
Heating Zones	8
Heating Surface	28" X 28"
Oven Power	18 Watts / inch ² (single oven) 32 Watts / inch ² (double oven)
Tank	30 gal.
Number of fans	2

*Other size available



THERM@FORM Model 3648

**FOR YOUR APPLICATIONS WITH
PVC, PET, ABS, PS, PC, PE, acrylic, etc.**

PROPOSED CONFIGURATIONS

- Sandwich type double oven
- Heating surface can be modified for your needs
- "Plug assist" material transportation

GENERAL SPECIFICATIONS

- Radiant oven divided into heating zones
- Ceramic infrared heating elements
- Proportional infinite temperature controls
- Computerized control with easy teach mode programming screen
- Interior of frame adjustable
- Automatic frame closure
- Automatic reciprocating frame
- 1 pneumatic moulding table
- Vacuum BUSH pump and 1 1/4" fittings
- Fans of 400 CFM or squirrel cage
- Training session included

TECHNICAL SPECIFICATIONS	
Dimensions (L x D x H)	93" x 140" x 90"
Frame size*	35" X 47"
Weight	2900 lbs
Power Requirements	240 V / 3 PH / 95 A
Daylight of Moulding Table*	22"
Table capacity	750 lbs
Air Consumption	0.28 ft ³
Frame Height	36"
Heating Zones	12
Heating Surface	40" X 52"
Oven Power	18 Watts / inch ² (single oven) 32 Watts / inch ² (double oven)
Tank	45 gal.
Number of fans	4

*Other size available



**THERM@FORM
Model 848**

**FOR YOUR APPLICATIONS
WITH PVC, PET, ABS, PS, PC,
PE, acrylic, etc.**

PROPOSED CONFIGURATIONS

- Sandwich type double oven
- Heating surface can be modified for your needs
- "Plug assist" material transportation

GENERAL SPECIFICATIONS

- Radiant oven divided into heating zones
- Ceramic infrared heating elements
- Proportional infinite temperature controls
- Computerized control with easy teach mode programming screen
- Interior of frame adjustable
- Automatic frame closure
- Automatic reciprocating frame
- 1 pneumatic moulding table
- Vacuum BUSH pump and 1 1/4" fittings
- Fans of 400 CFM or squirrel cage
- Training session included

TECHNICAL SPECIFICATIONS	
Dimensions (L x D x H)	105" x 140" x 90"
Frame size*	47" X 47"
Weight	3300 lbs
Power Requirements	240 V / 3 PH / 120 A
Daylight of Moulding Table*	22"
Table capacity	1200 lbs

*Other size available